


PI Notifications 2010 R2

Presented by

Chris Nelson, Software Development Lead, OSIsoft Lingli Zheng, Software Engineer, OSIsoft

Not always watching your data









Receive information about key events















PI Notifications - purpose

- Identify insight that requires action
- Specify information to be delivered
- Deliver to recipients, applications or systems

PI Notifications by example








Demo



- Create a new notification
- Monitor and alert on data quality of suspect sensor



Demo




- Create a new notification
- Monitor and alert on data quality of suspect sensor

Define key Events

Comparisons

Performance Equations


Statistical Quality Control



Provide information

- Customize for the recipient
 - Email, phone, pager

Provide links to content



Deliver the notification



- Specify Contacts from PI AF contacts or
- Support for email, web service and Microsoft Office Communicator







- Extensible with custom delivery channels
 - OSIsoft vCampus XML delivery channel example

Ensure key events are acted upon


Acknowledge

If no response

Escalate

Actions:

Acknowledge with comment




Review notifications

- PI ProcessBook
- PI DataLink
- Desktop App

Simplify deployment

Templates



PI Notification 2010 R2

Customize formatting for recipients and devices



- Improved history retrieval performance
- Native 64-bit Operating System support



PI Notifications

- Identify insight that requires action
- ONER ZUHIRO HIGH. F.


 37 37
 November
 ONER ZUHIRO HIGH. F.

 WEPP ZUHIRO HIGH. S.

 MSCPUR

- Specify information to be delivered
- Deliver key events to users and systems





Thank you