# IIoT Data Readiness with the PI System

Presented by Scott Grubbs, Systems Engineer October 5th, 2017



OSIsoft. 2017 Canadian Regional Seminars

#### You've Collected All That IIoT Data...

Æ

## ...Now What?

2

...

2


## The Three Biggest Barriers to Adopting IoT

## 1. Lack of interoperability or standards

2. Security concerns

3. Uncertain ROI

Q: What are the greatest barriers inhibiting business from adopting the industrial Internet?



10 Industrial Internet of Things

Source: World Economic Forum Industrial Internet Survey, 2014



#### In This Talk, We Will Show How to Overcome Those Barriers

## 1. Lack of interoperability or standards

Asset Framework


#### 2. Security concerns

Mitigation and best practices

#### 3. Uncertain ROI

 Asset analytics, event frames, infrastructure approach

#### Q: What are the greatest barriers inhibiting business from adopting the industrial Internet?



Industrial Internet of Things

Source: World Economic Forum Industrial Internet Survey, 2014

#### **Symptoms of Poor Interoperability or Standards**



#### **Asset Framework: Bridge the Physical & Digital World**

#### Time series data

- Pressure data
- Vibration data
- Pulse counters

#### **Asset details**

- Name
- Model
- Manufacturer

#### **External data**

- Performance curves
- Maintenance records



#### Analyses

- Efficiency analyses
- Key Performance
   Indicators (KPIs)

#### **Events**

- Downtimes
- Startups
- Failures

#### **Notifications**

- High torque alerts
- Rotor failure alerts


### **Capture Asset Information in Configurable Templates**



Discharge Pressure	539.342651367188 psi
🛷 Electricity Cost Factor	0.162879550235334 US\$
💷 Flow Rate	141.52 gpm
💷 Impeler Size	3
E LCL	92.5
💷 Liquid Gravity	1 SG
💷 Minimum Efficiency	90 %
Model Number	G11
E Pump Curve Head	0.616988159999998 psi
Pump Downtime During Last Shift %	0.346886343426175 %


 Reference data (without replicating it) from external databases with AF linked tables

#### **Create Flexible Views with Asset Building Blocks**




## **Support Ongoing Standardization with Asset Framework**

- Update templates over time
  - Start simple, add attributes as needed
- Facilitate asset management
  - Centrally push updates to all assets
- Available to visualization tools
  - Consistent displays for similar assets



#### TransCanada uses AF to Achieve 98% Availability of their Compression Assets



"We were able to **build out our** entire AF hierarchy and we had our first finding within a couple months.

As [new assets] come online, they get **built in AF in a matter of hours** and **automatically go into monitoring**."




Brendan Bell, TransCanada



#### In This Talk, We Will Show How to Overcome Those Barriers

- 1. Lack of interoperability or standards
- Asset Framework
- 2. Security concerns
- Mitigation and best practices
- 3. Uncertain ROI
- AF, event frames, infrastructure

Q: What are the greatest barriers inhibiting business from adopting the industrial Internet?



0 Industrial Internet of Things

Source: World Economic Forum Industrial Internet Survey, 2014

## **Internet of Things...**







- Example: Mirai malware looks for IP addresses that use default login names and passwords
- Controlled remotely
- High-profile 2016 attacks:

Twitter, Netflix, Reddit & others

#### Many IIoT Devices Are Still Climbing the Internet Security Ladder

Industry 4.0 / IIoT Security Function	<b>Short Life</b> <b>Sensor</b> (Fitbit)	Long Life Sensor (Industrial)	Sensor Gateway	Control	Control Gateway
Health Telemetry					
Network Defenses					
End to End Identification					
Device Administration					
Data Integrity (anti-tampering)					




#### Many IIoT Devices Are Still Climbing the Internet Security Ladder

Industry 4.0 / IIoT Security Function	<b>Short Life</b> <b>Sensor</b> (Fitbit)	Long Life Sensor (Industrial)	Sensor Gateway	Control	Control Gateway
Health Telemetry					
Network Defenses					
End to End Identification					
Device Administration		- — Today:	many still u	ise defaults	!
Data Integrity (anti-tampering)					

OSIsoft. 2017 Canadian Regional Seminars


## **Protecting the Control Network is More Important Than Ever**



### In This Talk, We Will Show How to Overcome Those Barriers

- 1. Lack of interoperability or standards
- Asset Framework
- 2. Security concerns
- Mitigation and best practices
- 3. Uncertain ROI
- Asset analytics, event frames, infrastructure approach

#### Q: What are the greatest barriers inhibiting business from adopting the industrial Internet?




10 Industrial Internet of Things

Source: World Economic Forum Industrial Internet Survey, 2014


## **80%** of the investment lost to data-prep **can be automated**





## AF Templates Put Data Into a Standard, Consistent Format

#### Asset Analytics Turn Data into KPIs



**OSI**soft. 2017 Canadian Regional Seminars

## **Easily Track Site-level Metrics with Rollup Capabilities**

Well Pad 035					
General Child Elemen	ts Attributes Ports Analyses	Version			
			Name:	Oil Flow Rate Rollup	
🛛 🖿 🖻 Na	me	Backfilling	Description:		Total
🗢 🗉 🎯	Dil Flow Rate Rollup		Catagorian		Production
0 🗉 🎯 🖉	Vell Pad Volume Flow Rate Rollup		Categories:		rioduction
			Analysis Type:	○ Expression	
					$\mathbf{T}$
					500
Rollup attributes from	n		Attributes		
<ul> <li>Child elements o</li> </ul>	f Well Pad 035		Name	Parent Element	
<ul> <li>This element - W</li> </ul>	/ell Pad 035		v Oil Flow Rate	OW-259	
To select attributes se	et criteria below		v Oil Flow Rate	OW-262	
Attribute Name:	Oil Flow Rate		✓ Oil Flow Rate	OW-258	$\Lambda$
			✓ Oil Flow Rate	OW-261	
Attribute Category:		-	↓ Oil Flow Rate	OW-260	5
					<u> </u>

## NASA Monitors Real-Time Facility Power Demand and Consumption

#### Using the PI System to Monitor Real-Time Energy Data at the Building Level




"I'm able to go into AF and make a bunch of calculated attributes.

24 hour max demand, 7 day max demand, they are meaningful to us because at a glance, we can see how that building is doing."



OSI soft. 2017 Canadian Regional Seminars


### **Event Frames: Out of Years of Data, Bookmark the One Minute that Matters**





Event Attribute	Value
Name	Excur. 1215-002
Start	15-Dec-2013 10:35:02
End	15-Dec-2015 10:47:26
Asset	Boiler-352
Excursion Type	High Violation
Fuel Gas Flow.Avg	37.12 k sft3/h
myKPI.Max	47.19 bbl/d

#### Simplify Data Analysis

#### **Compare Assets**









#### **Compare Events**


#### **Discover Event Interrelationships**





## What Can This Look Like?

Example application: Investigating electricity usage anomalies



Meter readings are streamed in realtime to an OSIsoft PI System and compared with utility bills

- 1. Each week, buildings should consume electricity in a fairly consistent pattern
- 2. The PI System collects, manages, and enhances that data
- 3. Our goal: discover why electricity costs were so high in a given week

Solution: PI Event Frames allows easily investigating a particular week's data!

#### File Edit View Favorites Tools Help

#### - □ × ⋔☆‡©

?

File Edi	t view	Favorit	es loc	is Hei	p													
	PI Vi	sion													New	Display	OSI\d	llopez
$\bigcirc$	Ass	ets								E	Federal Building Dataset - Building	<u>El</u> (re	ad-only) Asset: 1E1 ▼			Ad Hoc Displa	y [][	E
<mark>ен</mark>		123		3		0	İ×y	驋										
	- dh		FFT	ılı							IE1 Element Name IE1	1E1 E Buildi	Element Type	1E1 Full Name EAST Area Building 1E1	1E1 EAS	I∣Area Code ST		
081	<u>June</u>	and the second s	Ж			Ж		Ó	A		3/1/2012 12:00:00 AM		012 12:00:00 AM	8/1/2012 12:00:00 AM		2012 12:00:00	AM	
	A	<u></u>	A					Q		ſa	3 95+05 80		Active Energy Delivered			e Energy Delivered i	n Paet 24 ho	
	Se	arch in E	East Are	ea					Q	-3	-3195E+05	13			1,34			
					_	_	_	_		-3			Calculated Hourly Energy Usage /2.969 kWh			age Demand in Past 05 kilowatt hours	24 nours	
	< Ha								*			M IN			$\mathbb{N}$			
		te 7465	6								-1015-025							
	East	Area								- 3	3.6E+06 LM L							
	<b>⊘</b> 1	E1							>		3.55E+05			-900				
	Ø 1	E2							>	3	<u>3.45E+05, 20</u> 7/1/2012 12:00:00 AM 8/1/2012 12:0	0.00 414		700 30				
	Ø 1	F1							>		7/1/2012 12:00:00 AMI 8/1/2012 12:0	0.00 AM						
	Ø 1	F2			_				>	N	Name		Description		Value	Units		
	Attr	ibutes									1E1 Calculated Hourly Energy Usage		Increase in lifetime energy usag	e during the past hour	72.969			
	East	Area									1E1 Active Energy Delivered in Past 24 I		Rolling sum, starting now		1,341.7		_	
		adata									1E1 Active Energy Delivered in Past 7 da 1E1 Average Demand in Past 24 hours	ays	Rolling sum, starting now	red during the past 24 hours) / 24	8,579.2 55.905			
		vrea Co	de								TE HAverage Demand III ast 24 hours		Galetiated as (the chergy delive	red daming the past 24 hours / 24		Kilowalt Hours		
		Element																
		lement																
		lement	туре															


31d

^ 🛒 🖡 💿 🌏 🐹 ៉ 🌄 🕪 💭

Now

8/1/2012 12:00:00 AM

## **EF Templates Automatically Populate Consistent Summaries**



1:0	Name A	Value
Ca	tegory: General Info	
Ш	Comment	
-	0 Operator	Bobby Wolf
	III Phase	Dwell
	🗳 Туре	LOW TEMP
Cal Cal	legory: Limits	
	🍼 Temp.Limit.High	88 deg C
	🍼 Temp Limit Low	70 deg C
🖹 Ca	tegory: Manual Logger	
	Comment	
🗐 Ca	legory: Process Parameters	
	6 Level.Start	42.7438011169434 L
	🍼 Temp.End	71.1539001464844 deg C
	🍼 Temp.Max	71.1538998921712 deg C
-	🍼 Temp.Min	62.1662445068359 deg C
	67 Temp.Range	8.98765538533529 deg C




Fields for comments

#### Calculated summaries

like average, max, min

## Infrastructure Improves ROI by Making Data Available for Multiple Projects



## **Overcome Barriers Using the OSIsoft PI System**

## 1. Lack of interoperability or standards


Asset Framework

#### 2. Security concerns

Mitigation and best practices

#### 3. Uncertain ROI

 Asset analytics, event frames, infrastructure approach Q: What are the greatest barriers inhibiting business from adopting the industrial Internet?



Industrial Internet of Things

Source: World Economic Forum Industrial Internet Survey, 2014



#### **Scott Grubbs**

sgrubbs@osisoft.com

Systems Engineer

**OSIsoft** 



#### Questions

## **Please remember to...**

## Please wait for the **microphone** before asking your questions

## State your name & company

## Complete the Survey for this session

al					
	uation Form				
N	ame: Company:				
E	mail:				
ual	ity of presentations				
		Poor	Good	Excellent	N/A
1.	Digital Transformation with Today's PI System- OSIsoft				
2.	PI Coresight 2018: New Vision, New Display Editor, New Look and Feel – OSIsoft				
3.	Monitoring Health and Performance of Grid-Scale Energy Storage Systems – UniEnergy Technologies				
4.	Using PI Integrators to Improve the Value of your PI Data- OS/soft				
5.	PI Asset Framework Ties Together Enterprise OEE for Clearwater Paper – Clearwater Paper				
6.	Solving Business Initiatives with the PI System - OS/soft				
7.	PI Analytics and Coresight for Business Process Improvement – Avista				
8.	Seeq helps customers get even more value from their OSIsoft PI System – Seeq Inc.				
9.	What's Really Going on with your Beer's Fermentation? – Deschutes Brewery				
ual	ity of seminar				
	Poor	Goo	5 E	xcellent	N/A
	Presentation topics meeting your needs or interests				
2.					
3.	Pace and time allocated to the presentations				

